GREENCREATIVE

Select Kelvin

UL TYPE A+B HYB Hybrid



CCT Select T8 Hybrid Lamps

UL Type A+B

The Ultimate Retrofitting Solution


Equipped with an integrated CCT select switch and suitable for both Direct and Bypass installations, the CCT Select T8 Hybrid (UL Type A+B) lamp serves as the ultimate retrofitting solution, streamlining your options for upgrading linear LED fixtures.



For both Direct and Bypass Installations (UL Type A+B)

This tube's seamless compatibility with both direct and bypass installations guarantees effortless integration into your current lighting system. Experience a hassle-free plug-and-play retrofitting process if your existing ballast is compatible. If not, bypassing is also quick and easy, so no need to worry.

Direct Installation - Working with Existing Fluorescent Ballast



Note: Please refer to www.greencreative.com for complete ballast / dimmer compatibility list.

Bypass Installation – Working off Line Voltage without Ballast


(UEB - Single or Double Ended Installation)

Single Ended Bypass Installation





Programmed Start
or Rapid Start
(Non-Shunted Lamp Holders)




Not polarity sensitive, lamps can be wired at either end


Double Ended Bypass Installation






Programmed Start
or Rapid Start
(Non-Shunted Lamp Holders)






Instant Start
(Shunted Lamp Holders)



Five Field-Selectable Color Temperatures

Designed with integrated CCT switch, these lamps allow for convenient in-field selection from five color temperatures of 3000K, 3500K, 4000K, 5000K and 6500K. Without changing the lamp, you can easily switch to warm light for creating a cozy and relaxing atmosphere, or cool light for more energetic and productive environment. Maximize the adaptability in usage while minimizing stock management cost.





3000K
WARM WHITE LIGHT



3500K
NEUTRAL WHITE LIGHT



4000K
COOL WHITE LIGHT




5000K
DAY LIGHT




6500K
COOL DAY LIGHT

Innovative Safety Switch - Protection Enhanced

The CCT Select T8 Hybrid lamps are equipped with an innovative fail safe mechanism that prevents the electrical circuit from activating until the lamp is securely installed in both of the fixture sockets.





GREENCREATIVE

Your Partner for Professional Lighting Solutions

www.greencreative.com - info@greencreative.com - Tel / Fax: (866) 774-5433 - / GREENCREATIVELED / GClightingLED / GREEN-CREATIVE