



## LED SURFACE MOUNT DISK LIGHT - ADJUSTABLE PIR SENSOR BI-LEVEL & AUTO FUNCTION - CCT SELECTABLE 4", 6"



4"



6"



COLOR SELECTABLE

2700K 3000K 3500K 4000K 5000K



## ELECTRICAL


	MODEL	DESCRIPTION	POWER	INPUT VOLTS	EFFICACY	LIFETIME	COST/YR
4"	LR23881	LED8/DISK4/5CCT/APIR/WT	8	120V	87	50,000	\$ 0.96
6"	LR23882	LED13/DISK6/5CCT/APIR/WT	13	120V	87	50,000	\$ 1.44

## PHOTOMETRIC


MODEL	DESCRIPTION	COLOR (CCT)	TEMP	LUMEN	FLOOD	CRI	UL LISTED
LR23881	LED8/DISK4/5CCT/APIR/WT	2700K/3000K/3500K/4000K/5000K	CCT SELECT	700	110°	90	YES
LR23882	LED13/DISK6/5CCT/APIR/WT	2700K/3000K/3500K/4000K/5000K	CCT SELECT	1050	110°	90	YES

## ADJUSTABLE PIR SENSOR SETTINGS

### BI-LEVEL FUNCTION



**AUTO FUNCTION**  
 SHUTS OFF AFTER HOLD TIME



**DETECTION RANGE**  
 UP TO 13'  
 RADIUS

**MOTION SENSOR**

**50-100%**  
 NIGHT TIME  
 BRIGHTNESS

**30S/5M/10M**  
 SHUTOFF  
 TIME

## DIMENSIONS

