Project Name:	Type:
Part Number:	Date:

GREENCREATIVE

SOL GIMBAL TRACK HEAD

SPECIFICATION FEATURES

- Designed as the perfect companion with GREEN CREATIVE PAR lamps (sold separately). This series seamlessly integrates a durable track housing with the option for upgrading to retrofit LED PAR lamps.
- Mechanical - Essential, sleek design using clean lines and cold rolled steel. Features a floating E26 medium base porcelain lamp-holder for easy front re-lamping. Sturdy yoke with strong retainers for long-lasting tilt maintenance.
- Electrical - Designed for 120V track systems. Dimming and electrical performance vary based on the installed lamp. Maximum power: 50W for PAR20, 75W for PAR30, and 250W for PAR38.
- Optical - 90° vertical aiming capability and 358° rotation. Optical performance will depend on lamp installed with the track.
- Adapter - J-type is compatible with GREEN CREATIVE track System, and Juno® Track 1-circuit and 2-circuit. H-type, is compatible with Halo® Track systems.
- Compliance and Warranty - UL certified for dry locations only. 1-year warranty covers mechanical parts of the fixture. The SOL Gimbal Track Head is TAA compliant.

c UL us LISTED

TAA COMPLIANT TRADE AGREEMENT ACT



DIGITAL NAVIGATION Explore the spec sheet through the links below

LINE DRAWINGS PICTURES
TRACK HEAD AND LAMPS COMPATIBILITY TABLE
PAR LAMPS SPECIFICATION LOGISTIC INFOMRATION
ASSOCIATED PRODUCTS: COMPATIBLE PAR LAMPS

BENEFITS

- Quick and easy installation
- Tool-less and hassle-free maintenance
- Minimalistic, intemporal with sleek lines
- Perfect companion with GREEN CREATIVE PAR Lamps
- Fully compatible with GREEN CREATIVE Track System

SUITABLE APPLICATIONS

- Commercial
- Retail
- Hospitality
- Education

ORDERING GUIDE

PART # Example: SOL/GR/PAR20/E26/J/WH+6.5PAR20DIM/930FL40/SL


/ / / / /

Series	Track Style	Lamp Type	Lamp Base	Adapter	Finish
SOL SOL TRACK HEAD SERIES	**GR** Gimbal Ring	**PAR20** PAR20 Ready **PAR30** PAR30 Ready **PAR38** PAR38 Ready	**E26** E26 lamp base socket adapter	**J** GC and Juno type **H** Halo Type adapter	**WH** White **BL** Black


Note: All rights reserved. All sizes and specifications are subject to change at any time without notice.

SOL GIMBAL TRACK HEAD


LINE DRAWINGS



SOL/GR/PAR20/E26/x/yy




SOL/GR/PAR30/E26/x/yy




SOL/GR/PAR38/E26/x/yy

Adapters



H-Halo Track
For use with single
circuit track applications



J-Juno Track
For use with single and
two-circuit track applications

PICTURES



SOL/GR/PAR20/E26/x/yy
(For PAR20 lamps)



SOL/GR/PAR30/E26/x/yy
(For PAR30 short neck lamps)




SOL/GR/PAR38/E26/x/yy
(For PAR38 lamps)

Note: All rights reserved. All sizes and specifications are subject to change at any time without notice.

SOL GIMBAL TRACK HEAD

TRACK HEAD AND LAMPS COMPATIBILITY TABLE

SOL TRACK HEAD AND REFINE PAR LAMPS COMPATIBILITY TABLE



Featured with proprietary REFINE lens optic and TRUE CHROMA technology, REFINE series of PAR lamps provide specification grade lighting performance with superior efficacy and best in class color accuracy.

Click Below to Check all REFINE PAR lamps compatible with SOL Track Head:
https://greencreative.com/product-tag/solrefinepar/

Product Track Head	Model Track Head	Description Track Head	Product PAR Lamp	Model PAR Lamp	Description PAR Lamp
			37559	6.5PAR20DIM/927FL40/SL+SL15D	6.5W REFINE PAR20 2700K 15° White
			37560	6.5PAR20DIM/927FL40/SL+SL25D	6.5W REFINE PAR20 2700K 25° White
			37176	6.5PAR20DIM/927FL40/SL	6.5W REFINE PAR20 2700K 40° White
			37561	6.5PAR20DIM/930FL40/SL+SL15D	6.5W REFINE PAR20 3000K 15° White
			37562	6.5PAR20DIM/930FL40/SL+SL25D	6.5W REFINE PAR20 3000K 25° White
			37177	6.5PAR20DIM/930FL40/SL	6.5W REFINE PAR20 3000K 40° White
			37565	6.5PAR20DIM/935FL40/SL+SL15D	6.5W REFINE PAR20 3500K 15° White
37874	SOL/GR/PAR20/E26/J/WH	SOL Gimbal Track PAR20 J Type Adapter White	37566	6.5PAR20DIM/935FL40/SL+SL25D	6.5W REFINE PAR20 3500K 25° White
37876	SOL/GR/PAR20/E26/H/WH	SOL Gimbal Track PAR20 H Type Adapter White	37179	6.5PAR20DIM/935FL40/SL	6.5W REFINE PAR20 3500K 40° White
			37567	6.5PAR20DIM/940FL40/SL+SL15D	6.5W REFINE PAR20 4000K 15° White
			37568	6.5PAR20DIM/940FL40/SL+SL25D	6.5W REFINE PAR20 4000K 25° White
			37180	6.5PAR20DIM/940FL40/SL	6.5W REFINE PAR20 4000K 40° White
			37569	6.5PAR20DIM/950FL40/SL+SL15D	6.5W REFINE PAR20 5000K 15° White
			37570	6.5PAR20DIM/950FL40/SL+SL25D	6.5W REFINE PAR20 5000K 25° White
			37181	6.5PAR20DIM/950FL40/SL	6.5W REFINE PAR20 5000K 40° White
			37563	6.5PAR20DIM/930FL40/B/SL+SL15D	6.5W REFINE PAR20 3000K 15° Black
37875	SOL/GR/PAR20/E26/J/BL	SOL Gimbal Track PAR20 J Type Adapter Black	37564	6.5PAR20DIM/930FL40/B/SL+SL25D	6.5W REFINE PAR20 3000K 25° Black
37877	SOL/GR/PAR20/E26/H/BL	SOL Gimbal Track PAR20 H Type Adapter Black	37178	6.5PAR20DIM/930FL40/B/SL	6.5W REFINE PAR20 3000K 40° Black
			37595	11PAR30SNDIM/927FL40/SL+SL15D	11W REFINE PAR30 Short Neck 2700K 15° White
			37596	11PAR30SNDIM/927FL40/SL+SL25D	11W REFINE PAR30 Short Neck 2700K 25° White
			37194	11PAR30SNDIM/927FL40/SL	11W REFINE PAR30 Short Neck 2700K 40° White
			37599	11PAR30SNDIM/930FL40/SL+SL15D	11W REFINE PAR30 Short Neck 3000K 15° White
			37196	11PAR30SNDIM/930NF25/SL	11W REFINE PAR30 Short Neck 3000K 25° White
37878	SOL/GR/PAR30/E26/J/WH	SOL Gimbal Track PAR30 J Type Adapter White	37197	11PAR30SNDIM/930FL40/SL	11W REFINE PAR30 Short Neck 3000K 40° White
37880	SOL/GR/PAR30/E26/H/WH	SOL Gimbal Track PAR30 H Type Adapter White	37602	11PAR30SNDIM/935FL40/SL+SL15D	11W REFINE PAR30 Short Neck 3500K 15° White
			37603	11PAR30SNDIM/935FL40/SL+SL25D	11W REFINE PAR30 Short Neck 3500K 25° White
			37199	11PAR30SNDIM/935FL40/SL	11W REFINE PAR30 Short Neck 3500K 40° White
			37604	11PAR30SNDIM/940FL40/SL+SL15D	11W REFINE PAR30 Short Neck 4000K 15° White
			37605	11PAR30SNDIM/940FL40/SL+SL25D	11W REFINE PAR30 Short Neck 4000K 25° White
			37200	11PAR30SNDIM/940FL40/SL	11W REFINE PAR30 Short Neck 4000K 40° White
			37606	11PAR30SNDIM/950FL40/SL+SL15D	11W REFINE PAR30 Short Neck 5000K 15° White
			37607	11PAR30SNDIM/950FL40/SL+SL25D	11W REFINE PAR30 Short Neck 5000K 25° White
			37201	11PAR30SNDIM/950FL40/SL	11W REFINE PAR30 Short Neck 5000K 40° White

Note: All rights reserved. All sizes and specifications are subject to change at any time without notice.

SOL GIMBAL TRACK HEAD

TRACK HEAD AND LAMPS COMPATIBILITY TABLE

SOL TRACK HEAD AND REFINE PAR LAMPS COMPATIBILITY TABLE

Product Track Head	Model Track Head	Description Track Head	Product PAR Lamp	Model PAR Lamp	Description PAR Lamp
37879 37881	SOL/GR/PAR30/E26/J/BL SOL/GR/PAR30/E26/H/BL	SOL Gimbal Track PAR30 J Type Adapter Black SOL Gimbal Track PAR30 H Type Adapter Black	37597	11PAR30SNDIM/927FL40/B/SL+SL15D	11W REFINE PAR30 Short Neck 2700K 15° Black
			37598	11PAR30SNDIM/927FL40/B/SL+SL25D	11W REFINE PAR30 Short Neck 2700K 25° Black
			37195	11PAR30SNDIM/927FL40/B/SL	11W REFINE PAR30 Short Neck 2700K 40° Black
			37600	11PAR30SNDIM/930FL40/B/SL+SL15D	11W REFINE PAR30 Short Neck 3000K 15° Black
			37601	11PAR30SNDIM/930FL40/B/SL+SL25D	11W REFINE PAR30 Short Neck 3000K 25° Black
			37198	11PAR30SNDIM/930FL40/B/SL	11W REFINE PAR30 Short Neck 3000K 40° Black
37882 37884	SOL/GR/PAR38/E26/J/WH SOL/GR/PAR38/E26/H/WH	SOL Gimbal Track PAR38 J Type Adapter White SOL Gimbal Track PAR38 H Type Adapter White	37610	15.5PAR38DIM/927FL40/SL+SL15D	15.5W REFINE PAR38 2700K 15° White
			37611	15.5PAR38DIM/927FL40/SL+SL25D	15.5W REFINE PAR38 2700K 25° White
			37203	15.5PAR38DIM/927FL40/SL	15.5W REFINE PAR38 2700K 40° White
			37204	15.5PAR38DIM/930SP15/SL	15.5W REFINE PAR38 3000K 15° White
			37205	15.5PAR38DIM/930NF25/SL	15.5W REFINE PAR38 3000K 25° White
			37206	15.5PAR38DIM/930FL40/SL	15.5W REFINE PAR38 3000K 40° White
			37614	15.5PAR38DIM/935FL40/SL+SL15D	15.5W REFINE PAR38 3500K 15° White
			37615	15.5PAR38DIM/935FL40/SL+SL25D	15.5W REFINE PAR38 3500K 25° White
			37208	15.5PAR38DIM/935FL40/SL	15.5W REFINE PAR38 3500K 40° White
			37616	15.5PAR38DIM/940FL40/SL+SL15D	15.5W REFINE PAR38 4000K 15° White
			37617	15.5PAR38DIM/940FL40/SL+SL25D	15.5W REFINE PAR38 4000K 25° White
			37209	15.5PAR38DIM/940FL40/SL	15.5W REFINE PAR38 4000K 40° White
			37618	15.5PAR38DIM/950FL40/SL+SL15D	15.5W REFINE PAR38 5000K 15° White
			37619	15.5PAR38DIM/950FL40/SL+SL25D	15.5W REFINE PAR38 5000K 25° White
			37210	15.5PAR38DIM/950FL40/SL	15.5W REFINE PAR38 5000K 40° White
37883 37885	SOL/GR/PAR38/E26/J/BL SOL/GR/PAR38/E26/H/BL	SOL Gimbal Track PAR38 J Type Adapter Black SOL Gimbal Track PAR38 H Type Adapter Black	37612	15.5PAR38DIM/930FL40/B/SL+SL15D	15.5W REFINE PAR38 3000K 15° Black
			37613	15.5PAR38DIM/930FL40/B/SL+SL25D	15.5W REFINE PAR38 3000K 25° Black
			37207	15.5PAR38DIM/930FL40/B/SL	15.5W REFINE PAR38 3000K 40° Black
37874 37876	SOL/GR/PAR20/E26/J/WH SOL/GR/PAR20/E26/H/WH	SOL Gimbal Track PAR20 J Type Adapter White SOL Gimbal Track PAR20 H Type Adapter White	37571	6.5PAR20/927FL40/277V/SL+SL15D	6.5W REFINE PAR20 2700K 15° 277V White
			37572	6.5PAR20/927FL40/277V/SL+SL25D	6.5W REFINE PAR20 2700K 25° 277V White
			37182	6.5PAR20/927FL40/277V/SL	6.5W REFINE PAR20 2700K 40° 277V White
			37573	6.5PAR20/930FL40/277V/SL+SL15D	6.5W REFINE PAR20 3000K 15° 277V White
			37574	6.5PAR20/930FL40/277V/SL+SL25D	6.5W REFINE PAR20 3000K 25° 277V White
			37183	6.5PAR20/930FL40/277V/SL	6.5W REFINE PAR20 3000K 40° 277V White
			37575	6.5PAR20/940FL40/277V/SL+SL15D	6.5W REFINE PAR20 4000K 15° 277V White
			37576	6.5PAR20/940FL40/277V/SL+SL25D	6.5W REFINE PAR20 4000K 25° 277V White
			37184	6.5PAR20/940FL40/277V/SL	6.5W REFINE PAR20 4000K 40° 277V White
37878 37880	SOL/GR/PAR30/E26/J/WH SOL/GR/PAR30/E26/H/WH	SOL Gimbal Track PAR30 J Type Adapter White SOL Gimbal Track PAR30 H Type Adapter White	37608	11PAR30SN/930FL40/277V/SL+SL15D	11W REFINE PAR30 Short Neck 3000K 15° 277V White
			37609	11PAR30SN/930FL40/277V/SL+SL25D	11W REFINE PAR30 Short Neck 3000K 25° 277V White
			37202	11PAR30SN/930FL40/277V/SL	11W REFINE PAR30 Short Neck 3000K 40° 277V White
37882 37884	SOL/GR/PAR38/E26/J/WH SOL/GR/PAR38/E26/H/WH	SOL Gimbal Track PAR38 J Type Adapter White SOL Gimbal Track PAR38 H Type Adapter White	37620	15.5PAR38/930FL40/277V/SL+SL15D	15.5W REFINE PAR38 3000K 15° 277V White
			37621	15.5PAR38/930FL40/277V/SL+SL25D	15.5W REFINE PAR38 3000K 25° 277V White
			37211	15.5PAR38/930FL40/277V/SL	15.5W REFINE PAR38 3000K 40° 277V White
			37622	15.5PAR38/940FL40/277V/SL+SL15D	15.5W REFINE PAR38 4000K 15° 277V White
			37623	15.5PAR38/940FL40/277V/SL+SL25D	15.5W REFINE PAR38 4000K 25° 277V White
			37212	15.5PAR38/940FL40/277V/SL	15.5W REFINE PAR38 4000K 40° 277V White

Note: All rights reserved. All sizes and specifications are subject to change at any time without notice.

SOL GIMBAL TRACK HEAD

TRACK HEAD AND LAMPS COMPATIBILITY TABLE


SOL TRACK HEAD AND PAR38HO LAMPS COMPATIBILITY TABLE*

Product Track Head	Model Track Head	Description Track Head	Product PAR Lamp	Model PAR Lamp	Description PAR Lamp
37882	SOL/GR/PAR38/E26/J/WH	SOL Gimbal Track PAR38 J Type Adapter White	36538	19.5PAR38HODIM/930FL40/277V/R	19.5W PAR38HO 3000K 40° 277V White
			36539	19.5PAR38HODIM/935NF25/277V/R	19.5W PAR38HO 3500K 25° 277V White
			36540	19.5PAR38HODIM/935FL40/277V/R	19.5W PAR38HO 3500K 40° 277V White
			36541	19.5PAR38HODIM/940NF25/277V/R	19.5W PAR38HO 4000K 25° 277V White
			36542	19.5PAR38HODIM/940FL40/277V/R	19.5W PAR38HO 4000K 40° 277V White
			98223	25PAR38HO/927NF25/277V	25W PAR38HO 2700K 25° 277V White
			98210	25PAR38HO/930NF25/277V	25W PAR38HO 3000K 25° 277V White
			98211	25PAR38HO/930FL40/277V	25W PAR38HO 3000K 40° 277V White
			35431	25PAR38HO/935NF25/277V	25W PAR38HO 3500K 25° 277V White
			35432	25PAR38HO/935FL40/277V	25W PAR38HO 3500K 40° 277V White
37884	SOL/GR/PAR38/E26/H/WH	SOL Gimbal Track PAR38 H Type Adapter White	98212	25PAR38HO/940NF25/277V	25W PAR38HO 4000K 25° 277V White
			98213	25PAR38HO/940FL40/277V	25W PAR38HO 4000K 40° 277V White
			35526	30PAR38HODIM/927NF25/277V	30W PAR38HO 2700K 25° 277V White
			35528	30PAR38HODIM/930NF25/277V	30W PAR38HO 3000K 25° 277V White
			35529	30PAR38HODIM/930FL40/277V	30W PAR38HO 3000K 40° 277V White
			35530	30PAR38HODIM/935NF25/277V	30W PAR38HO 3500K 25° 277V White
			35531	30PAR38HODIM/935FL40/277V	30W PAR38HO 3500K 40° 277V White
			35532	30PAR38HODIM/940NF25/277V	30W PAR38HO 4000K 25° 277V White
			35533	30PAR38HODIM/940FL40/277V	30W PAR38HO 4000K 40° 277V White

FOOTNOTES: *277V skus only compatible with a 120V electrical circuit.

TRACK HEAD AND LAMPS COMPATIBILITY TABLE

SOL TRACK HEAD AND VALUE SELECT PAR LAMPS COMPATIBILITY TABLE



VALUE SELECT series of PAR lamps deliver great value through performance, look and price, without sacrificing our rigorous quality standards.

Click Below to Check all VALUE SELECT PAR lamps compatible with SOLTrack Head
https://greencreative.com/product-tag/solvspar/

Product Track Head	Model Track Head	Description Track Head	Product PAR Lamp	Model PAR Lamp	Description PAR Lamp
37874	SOL/GR/PAR20/E26/J/WH	SOL Gimbal Track PAR20 J Type Adapter White	37068	5.5PAR20DIM/927FL40	5.5W Value Select PAR20 2700K 40° White
			37069	5.5PAR20DIM/930FL40	5.5W Value Select PAR20 3000K 40° White
37876	SOL/GR/PAR20/E26/H/WH	SOL Gimbal Track PAR20 H Type Adapter White	37068	5.5PAR20DIM/927FL40	5.5W Value Select PAR20 2700K 40° White
			37069	5.5PAR20DIM/930FL40	5.5W Value Select PAR20 3000K 40° White
37878	SOL/GR/PAR30/E26/J/WH	SOL Gimbal Track PAR30 J Type Adapter White	37072	8PAR30SNDIM/930NF25	8W Value Select PAR30 Short Neck 3000K 25° White
			37073	8PAR30SNDIM/930FL40	8W Value Select PAR30 Short Neck 3000K 40° White
37880	SOL/GR/PAR30/E26/H/WH	SOL Gimbal Track PAR30 H Type Adapter White	37072	8PAR30SNDIM/930NF25	8W Value Select PAR30 Short Neck 3000K 25° White
			37073	8PAR30SNDIM/930FL40	8W Value Select PAR30 Short Neck 3000K 40° White
37882	SOL/GR/PAR38/E26/J/WH	SOL Gimbal Track PAR38 J Type Adapter White	37074	13PAR38DIM/930FL40	13W Value Select PAR38 3000K 40° White
			37075	13PAR38DIM/940FL40	13W Value Select PAR38 4000K 40° White
37884	SOL/GR/PAR38/E26/H/WH	SOL Gimbal Track PAR38 H Type Adapter White	37074	13PAR38DIM/930FL40	13W Value Select PAR38 3000K 40° White
			37075	13PAR38DIM/940FL40	13W Value Select PAR38 4000K 40° White

Note: All rights reserved. All sizes and specifications are subject to change at any time without notice.

SOL GIMBAL TRACK HEAD

TRACK HEAD AND LAMPS COMPATIBILITY TABLE

SOL TRACK HEAD AND ADJUSTAPAR LAMPS COMPATIBILITY TABLE



Powered by SelectKelvin and SelectBeam technologies, AdjustaPAR series of lamps allow for selectable beam angles and color temperatures with just a flip of switch in the field, providing best flexibility and streamline your lighting choices.

Click Below to Check all AdjustaPAR lamps compatible with SOL Track Head:
https://greencreative.com/product-tag/soladjustapar/

Product Track Head	Model Track Head	Description Track Head	Product PAR Lamp	Model PAR Lamp	Description PAR Lamp
37878	SOL/GR/PAR30/E26/J/WH	SOL Gimbal Track PAR30 J Type Adapter White	37221	9PAR30SNDIM/9CCTS/BAS	9W AdjustaPAR PAR30 Short Neck 5 Selectable CCTs and 2 Selectable Beam Angles White
37880	SOL/GR/PAR30/E26/H/WH	SOL Gimbal Track PAR30 H Type Adapter White	37221	9PAR30SNDIM/9CCTS/BAS	9W AdjustaPAR PAR30 Short Neck 5 Selectable CCTs and 2 Selectable Beam Angles White
37882	SOL/GR/PAR38/E26/J/WH	SOL Gimbal Track PAR38 J Type Adapter White	37222	14PAR38DIM/9CCTS/BAS	14W AdjustaPAR PAR38 5 Selectable CCTs and 2 Selectable Beam Angles White
37884	SOL/GR/PAR38/E26/H/WH	SOL Gimbal Track PAR38 H Type Adapter White	37222	14PAR38DIM/9CCTS/BAS	14W AdjustaPAR PAR38 5 Selectable CCTs and 2 Selectable Beam Angles White

PAR LAMPS SPECIFICATION

SPECIFICATIONS REFINE PAR LAMP

Product	Model	Equiv.	Wattage (W)	Finish Color	CCT	Lumens	Efficacy (LPW)	Input Voltage	Beam Angle	CBCP (cd)	CRI	Dim.	Base	Fixture Rating	TRUE CHROMA	ES / JA8 / T20	Single Product / Kit
37176	6.5PAR20DIM/927FL40/SL	50W	6.5	White	2700K	520	80	120V	40°	1,100	95	Yes	E26	Enclosed	Yes	√/√/√	
37177	6.5PAR20DIM/930FL40/SL	50W	6.5	White	3000K	550	85	120V	40°	1,200	95	Yes	E26	Enclosed	Yes	√/√/√	
37178	6.5PAR20DIM/930FL40/B/SI	50W	6.5	Black	3000K	550	85	120V	40°	1,200	95	Yes	E26	Enclosed	Yes	√/√/√	
37179	6.5PAR20DIM/935FL40/SL	50W	6.5	White	3500K	550	85	120V	40°	1,200	95	Yes	E26	Enclosed	Yes	√/√/√	
37180	6.5PAR20DIM/940FL40/SL	50W	6.5	White	4000K	580	89	120V	40°	1,300	95	Yes	E26	Enclosed	No	√/√/√	
37181	6.5PAR20DIM/950FL40/SL	50W	6.5	White	5000K	580	89	120V	40°	1,300	95	Yes	E26	Enclosed	No	√/√/√	
37194	11PAR30SNDIM/927FL40/SL	75W	11	White	2700K	950	86	120V	40°	1,700	95	Yes	E26	Enclosed	Yes	√/√/√	
37195	11PAR30SNDIM/927FL40/B/SL	75W	11	Black	2700K	950	86	120V	40°	1,700	95	Yes	E26	Enclosed	Yes	√/√/√	
37196	11PAR30SNDIM/930NF25/SL	75W	11	White	3000K	990	90	120V	25°	4,700	95	Yes	E26	Enclosed	Yes	√/√/√	
37197	11PAR30SNDIM/930FL40/SL	75W	11	White	3000K	990	90	120V	40°	1,750	95	Yes	E26	Enclosed	Yes	√/√/√	
37198	11PAR30SNDIM/930FL40/B/SL	75W	11	Black	3000K	990	90	120V	40°	1,750	95	Yes	E26	Enclosed	Yes	√/√/√	
37199	11PAR30SNDIM/935FL40/SL	75W	11	White	3500K	990	90	120V	40°	1,750	95	Yes	E26	Enclosed	Yes	√/√/√	
37200	11PAR30SNDIM/940FL40/SL	75W	11	White	4000K	1,030	94	120V	40°	1,850	95	Yes	E26	Enclosed	No	√/√/√	
37201	11PAR30SNDIMZE5OFL40/SL	75W	11	White	5000K	1,030	94	120V	40°	1,850	95	Yes	E26	Enclosed	No	√/√/√	
37203	15.5PAR38DIM/927FL40/SL	120W	15.5	White	2700K	1,320	85	120V	40°	2,800	95	Yes	E26	Enclosed	Yes	√/√/√	
37204	15.5PAR38DIM/930SP15/SL	120W	15.5	White	3000K	1,370	88	120V	15°	14,700	95	Yes	E26	Enclosed	Yes	√/√/√	
37205	15.5PAR38DIM/930NF25/SL	120W	15.5	White	3000K	1,370	88	120V	25°	7,000	95	Yes	E26	Enclosed	Yes	√/√/√	
37206	15.5PAR38DIM/930FL40/SL	120W	15.5	White	3000K	1,370	88	120V	40°	2,900	95	Yes	E26	Enclosed	Yes	√/√/√	
37207	15.5PAR38DIM/930FL40/B/SL	120W	15.5	Black	3000K	1,370	88	120V	40°	2,900	95	Yes	E26	Enclosed	Yes	√/√/√	
37208	15.5PAR38DIM/935FL40/SL	120W	15.5	White	3500K	1,370	88	120V	40°	2,900	95	Yes	E26	Enclosed	Yes	√/√/√	
37209	15.5PAR38DIM/940FL40/SL	120W	15.5	White	4000K	1,420	92	120V	40°	3,000	95	Yes	E26	Enclosed	No	√/√/√	
37210	15.5PAR38DIM/950FL40/SL	120W	15.5	White	5000K	1,420	92	120V	40°	3,000	95	Yes	E26	Enclosed	No	√/√/√	

Note: All rights reserved. All sizes and specifications are subject to change at any time without notice.

SOL GIMBAL TRACK HEAD

PAR LAMPS SPECIFICATION

SPECIFICATIONS REFINE PAR LAMP

Product	Model	Equiv.	Wattage (W)	Finish Color	CCT	Lumens	Efficacy (LPW)	Input Voltage	Beam Angle	CBCP (cd)	CRI	Dim.	Base	Fixture Rating	TRUE CHROMA	ES / JA8 / T20	Single Product / Kit
37559	6.5PAR20DIM/927FL40/SL+SL15D	50W	6.5	White	2700K	520	80	120V	15°	5,000	95	Yes	E26	Enclosed	Yes	√/√/√	+
37560	6.5PAR20DIM/927FL40/SL+SL25D	50W	6.5	White	2700K	520	80	120V	25°	1,800	95	Yes	E26	Enclosed	Yes	√/√/√	+
37561	6.5PAR2ODIM/930FL40/SL+SL15D	50W	6.5	White	3000K	550	85	120V	15°	5,300	95	Yes	E26	Enclosed	Yes	√/√/√	+
37562	6.5PAR20DIM/930FL40/SL+SL25D	50W	6.5	White	3000K	550	85	120V	25°	1,900	95	Yes	E26	Enclosed	Yes	√/√/√	+
37563	6.5PAR20DIM/930FL40/B/SL+SL15D	5OW	6.5	Black	3000K	550	85	120V	15°	5,300	95	Yes	E26	Enclosed	Yes	√/√/√	+
37564	6.5PAR20DIM/930FL40/B/SL+SL25D	50W	6.5	Black	3000K	550	85	120V	25°	1,900	95	Yes	E26	Enclosed	Yes	√/√/√	+
37565	6.5PAR20DIM/935FL40/SL+SL15D	50W	6.5	White	3500K	550	85	120V	15°	5,300	95	Yes	E26	Enclosed	Yes	√/√/√	+
37566	6.5PAR20DIM/935FL40/SL+SL25D	5OW	6.5	White	3500K	550	85	120V	25°	1,900	95	Yes	E26	Enclosed	Yes	√/√/√	+
37567	6.5PAR20DIM/940FL40/SL+SL15D	50W	6.5	White	4000K	580	89	120V	15°	5,600	95	Yes	E26	Enclosed	No	√/√/√	+
37568	6.5PAR20DIM/940FL40/SL+SL25D	50W	6.5	White	4000K	580	89	120V	25°	2,000	95	Yes	E26	Enclosed	No	√/√/√	+
37569	6.5PAR20DIM/950FL40/SL+SL15D	50W	6.5	White	5000K	580	89	120V	15°	5,600	95	Yes	E26	Enclosed	No	√/√/√	+
37570	6.5PAR20DIM/950FL40/SL+SL25D	50W	6.5	White	5000K	580	89	120V	25°	2,000	95	Yes	E26	Enclosed	No	√/√/√	+
37595	11PAR30SNDIM/927FL40/SL+SL15D	75W	11	White	2700K	950	86	120V	15°	10, 000	95	Yes	E26	Enclosed	Yes	√/√/√	+
37596	11PAR30SNDIM/927FL40/SL+SL25D	75W	11	White	2700K	950	86	120V	25°	4,500	95	Yes	E26	Enclosed	Yes	√/√/√	+
37597	11PAR30SNDIM/927FL40/B/SL+SL15D	75W	11	Black	2700K	950	86	120V	15°	10,000	95	Yes	E26	Enclosed	Yes	√/√/√	+
37598	11PAR30SNDIM/927FL40/B/SL+SL25D	75W	11	Black	2700K	950	86	120V	25°	4,500	95	Yes	E26	Enclosed	Yes	√/√/√	+
37599	11PAR3OSNDIM/930FL40/SL+SL15D	75W	11	White	3000K	990	90	120V	15°	10, 600	95	Yes	E26	Enclosed	Yes	√/√/√	+
37600	11PAR30SNDIM/930FL40/B/SL+SL15D	75W	11	Black	3000K	990	90	120V	15°	10, 600	95	Yes	E26	Enclosed	Yes	√/√/√	+
37601	11PAR30SNDIM/930FL40/B/SL+SL25D	75W	11	Black	3000K	990	90	120V	25°	4,700	95	Yes	E26	Enclosed	Yes	√/√/√	+
37602	11PAR30SNDIM/935FL40/SL+SL15D	75W	11	White	3500K	990	90	120V	15°	10,600	95	Yes	E26	Enclosed	Yes	√/√/√	+
37603	11PAR30SNDIM/935FL40/SL+SL25D	75W	11	White	3500K	990	90	120V	25°	4,700	95	Yes	E26	Enclosed	Yes	√/√/√	+
37604	11PAR30SNDIM/940FL40/SL+SL15D	75W	11	White	4000K	1,030	94	120V	15°	10,700	95	Yes	E26	Enclosed	No	√/√/√	+
37605	11PAR30SNDIM/940FL40/SL+SL25D	75W	11	White	4000K	1,030	94	120V	25°	4,800	95	Yes	E26	Enclosed	No	√/√/√	+
37606	11PAR30SNDIM/950FL40/SL+SL15D	75W	11	White	5000K	1,030	94	120V	15°	10,700	95	Yes	E26	Enclosed	No	√/√/√	+
37607	11PAR30SNDIM/950FL40/SL+SL25D	75W	11	White	5000K	1,030	94	120V	25°	4,800	95	Yes	E26	Enclosed	No	√/√/√	+
37610	15 5PAR38DIM/927FL40/SL+SL15D	120W	15.5	White	2700K	1,320	85	120V	15°	14,000	95	Yes	E26	Enclosed	Yes	√/√/√	+
37611	15.5PAR38DIM/927FL40/SL+SL25D	120W	15.5	White	2700K	1,320	85	120V	25°	6,750	95	Yes	E26	Enclosed	Yes	√/√/√	+
37612	15.5PAR38DIM930FL40/B/SL+SL15D	120W	15.5	Black	3000K	1,370	88	120V	15°	14,700	95	Yes	E26	Enclosed	Yes	√/√/√	+
37613	15.5PAR38DIM/930FL40/B/SL+SL25D	120W	15.5	Black	3000K	1,370	88	120V	25°	7,000	95	Yes	E26	Enclosed	Yes	√/√/√	+
37614	15.5PAR38DIM/935FL40/SL+SL15D	120W	15.5	White	3500K	1,370	88	120V	15°	14,700	95	Yes	E26	Enclosed	Yes	√/√/√	+
37615	15.5PAR38DIM/935FL40/SL+SL25D	120W	15.5	White	3500K	1,370	88	120V	25°	7,000	95	Yes	E26	Enclosed	Yes	√/√/√	+
37616	15.5PAR38DIM/940FL40/SL+SL15D	120W	15.5	White	4000K	1,420	92	120V	15°	14,800	95	Yes	E26	Enclosed	No	√/√/√	+
37617	15.5PAR38DIM/940FL40/SL+SL25D	120W	15.5	White	4000K	1,420	92	120V	25°	7,100	95	Yes	E26	Enclosed	No	√/√/√	
37618	15.5PAR38DIM/950FL40/SL+SL15D	120W	15.5	White	5000K	1,420	92	120V	15°	14,800	95	Yes	E26	Enclosed	No	√/√/√	
37619	15.5PAR38DIM/950FL40/SL+SL25D	120W	15.5	White	5000K	1,420	92	120V	25°	7,100	95	Yes	E26	Enclosed	No	√/√/√	

Note: All rights reserved. All sizes and specifications are subject to change at any time without notice.

SOL GIMBAL TRACK HEAD

PAR LAMPS SPECIFICATION

SPECIFICATIONS VALUE SELECT PAR LAMP

Product	Model	Equiv.	Wattage (W)	Finish Color	CCT	Lumens	Efficacy (LPW)	Input Voltage	Beam Angle	CBCP (cd)	CRI	Dim.	Base	Fixture Rating	ES / T20
37068	5.5PAR20DIM/927FL40	50W	5.5	White	2700K	520	95	120V	40°	595	90	Yes	E26	Enclosed	√ / √
37069	5.5PAR20DIM/930FL40	50W	5.5	White	3000K	525	95	120V	40°	600	90	Yes	E26	Enclosed	√ / √
37072	8PAR30SNDIM/930NF25	75W	8	White	3000K	800	100	120V	25°	2,910	90	Yes	E26	Enclosed	√ / √
37073	8PAR30SNDIM/930FL40	75W	8	White	3000K	800	100	120V	40°	1,315	90	Yes	E26	Enclosed	√ / √
37074	13PAR38DIM/930FL40	120W	13	White	3000K	1,250	96	120V	40°	2,235	90	Yes	E26	Enclosed	√ / √
37075	13PAR38DIM/940FL40	120W	13	White	4000K	1,250	96	120V	40°	2,235	90	Yes	E26	Enclosed	√ / √

SPECIFICATIONS ADJUSTAPAR LAMP

Product	Model	Equiv.	Wattage (W)	Finish Color	5 Selectable CCTs	Lumens	Efficacy (LPW)	Input Voltage	2 Selectable Beam Angle	CBCP (cd)	CRI	Dim.	Base	Fixture Rating	T20
37221	9PAR30SNDIM/9CCTS/BAS	75W	9	White	27K/30K/35K/ 40K/50K	810	90	120V	25° / 40°	2,510/1,315	90	Yes	E26	Enclosed	√
37222	14PAR38DIM/9CCTS/BAS	120W	14	White	27K/30K/35K/ 40K/50K	1,350	90	120V	25° / 40°	4,300/2,235	90	Yes	E26	Enclosed	√

LOGISTIC INFOMRATION

Product	Model	Shipping Carton		
		Case Qty	Case Dimensions (LxWxH)	Case Weight
37874	SOL/GR/PAR20/E26/J/WH	12PCS	14-3/16" x 10-5/8" x 8-1/4"	10.47 lb
37875	SOL/GR/PAR20/E26/J/BL	12PCS	14-3/16" x 10-5/8" x 8-1/4"	10.47 lb
37876	SOL/GR/PAR20/E26/H/WH	12PCS	14-3/16" x 10-5/8" x 8-1/4"	10.47 lb
37877	SOL/GR/PAR20/E26/H/BL	12PCS	14-3/16" x 10-5/8" x 8-1/4"	10.47 lb
37878	SOL/GR/PAR30/E26/J/WH	12PCS	20-1/16" x 15-3/8" x 9-1/16"	21.23 lb
37879	SOL/GR/PAR30/E26/J/BL	12PCS	20-1/16" x 15-3/8" x 9-1/16"	21.23 lb
37880	SOL/GR/PAR30/E26/H/WH	12PCS	20-1/16" x 15-3/8" x 9-1/16"	21.23 lb
37881	SOL/GR/PAR30/E26/H/BL	12PCS	20-1/16" x 15-3/8" x 9-1/16"	21.23 lb
37882	SOL/GR/PAR38/E26/J/WH	12PCS	26" x 12-3/16" x 15"	29.21 lb
37883	SOL/GR/PAR38/E26/J/BL	12PCS	26" x 12-3/16" x 15"	29.21 lb
37884	SOL/GR/PAR38/E26/H/WH	12PCS	26" x 12-3/16" x 15"	29.21 lb
37885	SOL/GR/PAR38/E26/H/BL	12PCS	26" x 12-3/16" x 15"	29.21 lb

Note: All rights reserved. All sizes and specifications are subject to change at any time without notice.