
ACE™ 60 SINGLE

RECESSED

TYPE:

PROJECT NAME:





The Ace is a unique model, whose greatest advantage is its originality. Its unique appearance inspired by loud-speakers does not overwhelm the interior, but becomes an interesting element of the decor. The lamp emits atmospheric light and creates a unique atmosphere. It is a great choice for fans of modernity.

Light Source: 6W LED


Electrical: High efficiency electronic power supply, rated 50,000 hours 120V-277V

Input [W]	6W
Lum. flux of light source [lm]	545 lm

Finish options:

White, Black

White	Black



ORDERING INFO

L59R00370 - - - - -

Model (Order Code)	Reflector Finish	Rim Finish	Optic Options	LED	Dimming Options
◯ L59R00370 6W	◯ 01: White ◯ 02: Black	◯ 01: White ◯ 02: Black	◯ 20: 20º ◯ 36: 36º ◯ 60: 60º	◯ 27: 2700K ◯ 30: 3000K ◯ 40: 4000K	◯ 120V LTE ◯ 120V-277V 0-10V

Intertek

SPECIFICATION SHEET


ACE™ 60 DOUBLE

RECESSED

TYPE:

PROJECT NAME:





The Ace is a unique model, whose greatest advantage is its originality. Its unique appearance inspired by loud-speakers does not overwhelm the interior, but becomes an interesting element of the decor. The lamp emits atmospheric light and creates a unique atmosphere. It is a great choice for fans of modernity.

Light Source: 11W LED


Electrical: High efficiency electronic power supply, rated 50,000 hours 120V-277V

Input [W]	11W
Lum. flux of light source [lm]	1090 lm

Finish options:

White, Black

White	Black



ORDERING INFO

L59R00380 - - - - -

Model (Order Code)	Reflector Finish	Rim Finish	Optic Options	LED	Dimming Options
◯ L59R00380 11W	◯ 01: White ◯ 02: Black	◯ 01: White ◯ 02: Black	◯ 20: 20º ◯ 36: 36º ◯ 60: 60º	◯ 27: 2700K ◯ 30: 3000K ◯ 40: 4000K	◯ 120V LTE ◯ 120V-277V 0-10V

Intertek

SPECIFICATION SHEET


ACE™ 60 TRIPLE

RECESSED

TYPE:

PROJECT NAME:





The Ace is a unique model, whose greatest advantage is its originality. Its unique appearance inspired by loud-speakers does not overwhelm the interior, but becomes an interesting element of the decor. The lamp emits atmospheric light and creates a unique atmosphere. It is a great choice for fans of modernity.

Light Source: 16W LED


Electrical: High efficiency electronic power supply, rated 50,000 hours 120V-277V

Input [W]	16W
Lum. flux of light source [lm]	1640 lm

Finish options:

White, Black

White	Black



ORDERING INFO

L59R00390 - - - - -

Model (Order Code)	Reflector Finish	Rim Finish	Optic Options	LED	Dimming Options
◯ L59R00390 16W	◯ 01: White ◯ 02: Black	◯ 01: White ◯ 02: Black	◯ 20: 20º ◯ 36: 36º ◯ 60: 60º	◯ 27: 2700K ◯ 30: 3000K ◯ 40: 4000K	◯ 120V LTE ◯ 120V-277V 0-10V

Intertek

SPECIFICATION SHEET