Connector C1-0W

Ref. E60920



- LED strip to strip connector

APPLICATION

- dedicated for LED strip 0'31"

ADDITIONAL INFORMATION

- 108 W maximum with 24 V LED strip or 54 W with 12 V LED strip

TECHNICAL SPECIFICATIONS

Width	**10.4 mm**
Height	**4.3 mm**

Length	**15.7 mm**

RELATED PROFILES > ARCHITECTURAL



GIZA
A05556



JAZ
A08547



KOPRO
A06367



KOPRO-30
A07890



KOZEL
A06454



KOZMA
A18040



KOZUS
A07823



LARKO
A05552



LIPOD
A05554



LOC-30
A18015

Connector C1-0W

Ref. E60920



LOKOM
A05553



OPAC-30
A06164



REGULOR
A18068

RELATED PROFILES > FOR FLOORS




HR-ALU
A01889


RELATED PROFILES > FOR MAIN LIGHTING



DES
A18030



SEPOD
A06593



TRIADA
A04476

RELATED PROFILES > FOR SCONCES AND WALL LIGHTING




IMET
A18012



KIDES
A18031



KIDES-DUO
A18032




LIT-L
A18033



OBIT
A04826

Connector C1-0W

Ref. E60920




WERKIN
A18025


RELATED PROFILES > ILLUMINATION OF COVES AND ARCHITECTURAL NICHES



NISA-KON
A18027



NISA-KRA
A18026




NISA-NI
A18029



POLI
A07176

RELATED PROFILES > STAIRS ILLUMINATION



POR
A06144



STEP
A18042



STEPUS
A18038

RELATED PROFILES > TRANSPARENT PANEL ILLUMINATION



EX-ALU
A18043



KRAV-810
A18016AZM

Connector C1-0W

Ref. E60920

RELATED PROFILES > UNIVERSAL



45-ALU
A04023



KUBIK-45
A07697



OLEK
A08505



PAC-ALU
A04370



PDS-H
A09204



PDS-4-PLUS
A01263



SILER
A09325



STOS-ALU
A04369



TAN-C5
A05391

RELATED ACCESSORIES > RELATED LED > WHITE MONO



K-1220-24
K-1220-24



K-1275-24
K-1275-24