
Canopy BOX-M600

Ref. C24542





- Completed set of items
- Simple assembly
- Compartment for driver and electrical components
- Aesthetic masking for electrical components

APPLICATION

- mounting of power supplies and electronic components

MOUNTING

- to the surface, using a dedicated mounting track and properly selected screws

ADDITIONAL INFORMATION

- Aesthetic masking for electrical components

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	**aluminum**
IP protection rating	**20**
Length	**600 mm**
Width	**55 mm**
Height	**30 mm**
Lifting capacity	**15 kg**

Color	Ref
silver anodized	**C24542A**
white lacquered	**C24542L10**
black anodized	**C24542A07**

SIMILAR PROFILES

NEW

Profile INTER-PLUS
A18078

NEW

Profile PIKO-DUO
A00022


Profile 4050
A18050

Profile FLORI
A00011


Profile GIZA
A05556


Profile GIZA-DUO-LL
A02162


Profile GIZA-LL
A00758


Profile GLAZA-DUO
A03059


Profile GLAZA-LL
A02627


Profile JAZ
A08547


Profile JAZ-DUO
A00788


Profile MICRO-PLUS
A02966


Profile OLEK
A08505


Profile OPK-4
A00370


Profile PDS-4-PLUS
A01263


Profile PDS-ZM-PLUS
A02056


Profile PDS-ZMG
A01418


Profile PIKO-O
A01167


Profile PIKO-ZM
A01168


Profile REGULOR
A18068

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONDUCTIVE FASTENERS AND HEADS FOR PROFILES

Canopy BOX-M600
Ref. C24542

Name	Material	Color	Ref.
Fastener FI-8-PRET-BOX-Z NEW	stainless steel	silver	C28264N00
	aluminum	white lacquered	C28264L10
	aluminum	black lacquered	C28264L07
Fastener FI-8-LIN-BOX-Z NEW	stainless steel	silver	C28265N00
	aluminum	white lacquered	C28265L10
	aluminum	black lacquered	C28265L07

RELATED ACCESSORIES > ELECTRONICS > CASAMBI CONTROL SYSTEM

Name	IP protection rating	Ref.
Controller LED Casambi CBU-ASD	20	E62147
Controller LED Casambi CBU-PWM4	20	E62148

RELATED ACCESSORIES > ELECTRONICS > CONTROLLERS

Name	IP protection rating	Ref.
Controller RGB+CCT, Wlightbox NEW	20	E60235