

Canopy Fi-60mm

Ref. C24540






- Simple assembly
- Small dimensions
- Aesthetic masking for electrical components

ADDITIONAL INFORMATION

- connection block included

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS


Material	**steel**
IP protection rating	**20**
Height	**30 mm**
Diameter	**60 mm**

Color	Ref
gray lacquered	**C24540L01**
white lacquered	**C24540L10**
black lacquered	**C24540L07**

Canopy Fi-60mm
Ref. C24540

KLUŚ Inspiring Solutions

SAMPLE PROJECTS





SIMILAR PROFILES



Profile INTER-PLUS
A18078



Profile PIKO-DUO
A00022



Profile 4050
A18050



Profile 4050-W
A18051

Profile FLORI
A00011



Profile GIZA
A05556



Profile GIZA-DUO-LL
A02162



Profile GIZA-LL
A00758



Profile GLAZA-DUO
A03059



Profile GLAZA-LL
A02627



Profile JAZ
A08547



Profile JAZ-DUO
A00788



Profile LIPOD
A05554



Profile LIPOD-50
A02609



Profile MICRO-H
A00599

Canopy Fi-60mm

Ref. C24540



Profile MICRO-HG
A01419



Profile MICRO-PLUS
A02966



Profile OLEK
A08505



Profile OPK-4
A00370



Profile PDS-4-PLUS
A01263



Profile PDS-H
A09204



Profile PDS-ZM-PLUS
A02056



Profile PDS-ZMG
A01418



Profile PIKO
A08288



Profile PIKO-O
A01167



Profile PIKO-ZM
A01168



Profile REGULOR
A18068



Profile SILER
A09325



Profile TAMI
A05390