
Connector ZM-G

Ref. 42308, 42304, 42306, 42328, 42330, 42332,42334, 42336, 42338, 42310, 42324, 42316



TECHNICAL SPECIFICATIONS

Material	**stainless steel**
Color	**silver**
Thickness	**1.5 mm**

Shape	Joining angle	Ref
	60°	**42304**
	90°	**42306**
	120°	**42308**
	135°	**42310**
T	45°	**42324**
T	60°	**42326**
T	90°	**42328**
X	45°	**42330**
X	60°	**42332**
X	90°	**42334**
Y	120°	**42336**
	45°	**42338**

Connector ZM-G

Ref. 42308, 42304, 42306, 42328, 42330, 42332,42334, 42336, 42338, 42310, 42324, 42316

KLUŚ Inspiring Solutions

RELATED PROFILES > SUSPENDED



Profile INTER-PLUS
A18078



Profile PIKO-DUO
A00022



Profile 3035
A18039



Profile 4050
A18050



Profile 4050-W
A18051



Profile GIZA-DUO-LL
A02162



Profile GLAZA-DUO
A03059




Profile GLAZA-LL
A02627




Profile JAZ
A08547



Profile LIPOD-50
A02609



Profile MOD-100
A18049



Profile MOD-50
A18047



Profile OLEK
A08505



Profile PDS-ZMG
A01418



Profile PIKO-ZM
A01168

RELATED PROFILES > TRIMLESS



Profile KOZEL-10-BD
A18079



Profile KOZUS-BD
A18081



Profile 3035-O
A08441

Connector ZM-G

Ref. 42308, 42304, 42306, 42328, 42330, 42332,42334, 42336, 42338, 42310, 42324, 42316


RELATED PROFILES > RECESSED



Profile FOLED
A08332V1



Profile FOLED-50
A03632



Profile FOLED-50-BOK
A57945



Profile FOLED-50-SUF
A03631



Profile FOLED-BOK
A08334V1



Profile FOLED-SUF
A08333V1



Profile LARKO-50
A00756



Profile OPAC-30
A06164


RELATED PROFILES > SURFACE MOUNTED



Profile GIZA-LL
A00758



Profile KOPRO-30
A07890



Profile SEPOD
A06593

RELATED PROFILES > RECESSED WITH SUSPENSION FUNCTION



Profile OPK-4
A00370



Profile PDS-ZM-PLUS
A02056

RELATED ACCESSORIES > PROFILE TECHNICZNE

Connector ZM-G

Ref. 42308, 42304, 42306, 42328, 42330, 42332,42334, 42336, 42338, 42310, 42324, 42316

Name	Material	Color	Ref.
Profile RAM-KOL-100	aluminum	silver anodized	A18062
Profile RAM-KOL-50	aluminum	silver anodized	A18060