

SLIMLEDTMPRO

Super High Output Recessed Light



FEATURES

- No Recessed fixture required
- 1-11/16" thickness design
- I.C. rated for direct contact with insulation
- Easy to install yourself
- Lifetime Warranty
- High performance with super high output
- Wet location approved
- Plenum rated FT6 wire
- Integrated LED fixtures
- Dimmable



Dimmable



Indoor



IC Rated



Colour Accuracy



Beam Angle



2K / 3K / 4K Colour Temp

SLIMLEDPRO Series consist of some of the brightest and most powerful LED lighting fixtures on the market today. Engineered for high lumen output and superior lighting quality, the SLIMLEDPRO Series LEDs easily outperforms traditional LED recessed lighting fixtures. Backed by its lifetime warranty, the SLIMLEDPRO Series will deliver years of maintenance-free lighting.

	SLIMLEDPRO04 4" Round / 12W 120V 755 lumens	SLIMLEDPRO06 6" Round / 17W 120V 1125 lumens	SLIMLEDPRO08 8" Round / 33W 120V 2585 lumens
	SLIMLEDPRO04S 4" Square / 12W 120V 725 lumens	SLIMLEDPRO06S 6" Square / 17W 120V 1120 lumens	

Colour & Shape Options



For more information on Lifetime Warranty program, please visit www.liteline.com/goldlabel



Liteline Corporation
Info@liteline.com
www.liteline.com



416-996-1856
1-866-730-7704



905-794-1990
1-888-738-9736

REV 6.17.16

© Copyright 2016, Liteline Corporation

Ordering Guide

Part #	Description	Case Qty.	Master Qty.
4" Round			
SLMPRO4-27K-BK	4" SLIM LED Pro, 12W, 2700°K, 755 lumens, 120V, Dimmable, Round, Black	12	48
SLMPRO4-27K-BN	4" SLIM LED Pro, 12W, 2700°K, 755 lumens, 120V, Dimmable, Round, Brushed Nickel	12	48
SLMPRO4-27K-SL	4" SLIM LED Pro, 12W, 2700°K, 755 lumens, 120V, Dimmable, Round, Silver	12	48
SLMPRO4-27K-WH	4" SLIM LED Pro, 12W, 2700°K, 766 lumens, 120V, Dimmable, Round, White	12	48
SLMPRO4-30K-BK	4" SLIM LED Pro, 12W, 3000°K, 770 lumens, 120V, Dimmable, Round, Black	12	48
SLMPRO4-30K-BN	4" SLIM LED Pro, 12W, 3000°K, 770 lumens, 120V, Dimmable, Round, Brushed Nickel	12	48
SLMPRO4-30K-SL	4" SLIM LED Pro, 12W, 3000°K, 770 lumens, 120V, Dimmable, Round, Silver	12	48
SLMPRO4-30K-WH	4" SLIM LED Pro, 12W, 3000°K, 781 lumens, 120V, Dimmable, Round, White	12	48
SLMPRO4-35K-BK	4" SLIM LED Pro, 12W, 3500°K, 770 lumens, 120V, Dimmable, Round, Black	12	48
SLMPRO4-35K-BN	4" SLIM LED Pro, 12W, 3500°K, 770 lumens, 120V, Dimmable, Round, Brushed Nickel	12	48
SLMPRO4-35K-SL	4" SLIM LED Pro, 12W, 3500°K, 770 lumens, 120V, Dimmable, Round, Silver	12	48
SLMPRO4-35K-WH	4" SLIM LED Pro, 12W, 3500°K, 781 lumens, 120V, Dimmable, Round, White	12	48
SLMPRO4-40K-BK	4" SLIM LED Pro, 12W, 4000°K, 785 lumens, 120V, Dimmable, Round, Black	12	48
SLMPRO4-40K-BN	4" SLIM LED Pro, 12W, 4000°K, 785 lumens, 120V, Dimmable, Round, Brushed Nickel	12	48
SLMPRO4-40K-SL	4" SLIM LED Pro, 12W, 4000°K, 785 lumens, 120V, Dimmable, Round, Silver	12	48
SLMPRO4-40K-WH	4" SLIM LED Pro, 12W, 4000°K, 797 lumens, 120V, Dimmable, Round, White	12	48
4" Square			
SLMPRO4S-27K-BK	4" SLIM LED Pro, 12W, 2700°K, 725 lumens, 120V, Dimmable, Square, Black	12	48
SLMPRO4S-27K-BN	4" SLIM LED Pro, 12W, 2700°K, 725 lumens, 120V, Dimmable, Square, Brushed Nickel	12	48
SLMPRO4S-27K-WH	4" SLIM LED Pro, 12W, 2700°K, 736 lumens, 120V, Dimmable, Square, White	12	48
SLMPRO4S-30K-BK	4" SLIM LED Pro, 12W, 3000°K, 740 lumens, 120V, Dimmable, Square, Black	12	48
SLMPRO4S-30K-BN	4" SLIM LED Pro, 12W, 3000°K, 740 lumens, 120V, Dimmable, Square, Brushed Nickel	12	48
SLMPRO4S-30K-WH	4" SLIM LED Pro, 12W, 3000°K, 750 lumens, 120V, Dimmable, Square, White	12	48
SLMPRO4S-40K-BK	4" SLIM LED Pro, 12W, 4000°K, 754 lumens, 120V, Dimmable, Square, Black	12	48
SLMPRO4S-40K-BN	4" SLIM LED Pro, 12W, 4000°K, 754 lumens, 120V, Dimmable, Square, Brushed Nickel	12	48
SLMPRO4S-40K-WH	4" SLIM LED Pro, 12W, 4000°K, 765 lumens, 120V, Dimmable, Square, White	12	48
6" Round			
SLMPRO6-27K-BK	6" SLIM LED Pro, 17W, 2700°K, 1125 lumens, 120V, Dimmable, Round, Black	12	24
SLMPRO6-27K-BN	6" SLIM LED Pro, 17W, 2700°K, 1125 lumens, 120V, Dimmable, Round, Brushed Nickel	12	24
SLMPRO6-27K-SL	6" SLIM LED Pro, 17W, 2700°K, 1125 lumens, 120V, Dimmable, Round, Silver	12	24
SLMPRO6-27K-WH	6" SLIM LED Pro, 17W, 2700°K, 1142 lumens, 120V, Dimmable, Round, White	12	24
SLMPRO6-30K-BK	6" SLIM LED Pro, 17W, 3000°K, 1148 lumens, 120V, Dimmable, Round, Black	12	24
SLMPRO6-30K-BN	6" SLIM LED Pro, 17W, 3000°K, 1148 lumens, 120V, Dimmable, Round, Brushed Nickel	12	24
SLMPRO6-30K-SL	6" SLIM LED Pro, 17W, 3000°K, 1148 lumens, 120V, Dimmable, Round, Silver	12	24
SLMPRO6-30K-WH	6" SLIM LED Pro, 17W, 3000°K, 1164 lumens, 120V, Dimmable, Round, White	12	24
SLMPRO6-35K-BK	6" SLIM LED Pro, 17W, 3500°K, 1148 lumens, 120V, Dimmable, Round, Black	12	24
SLMPRO6-35K-BN	6" SLIM LED Pro, 17W, 3500°K, 1148 lumens, 120V, Dimmable, Round, Brushed Nickel	12	24
SLMPRO6-35K-SL	6" SLIM LED Pro, 17W, 3500°K, 1148 lumens, 120V, Dimmable, Round, Silver	12	24
SLMPRO6-35K-WH	6" SLIM LED Pro, 17W, 3500°K, 1164 lumens, 120V, Dimmable, Round, White	12	24
SLMPRO6-40K-BK	6" SLIM LED Pro, 17W, 4000°K, 1170 lumens, 120V, Dimmable, Round, Black	12	24
SLMPRO6-40K-BN	6" SLIM LED Pro, 17W, 4000°K, 1170 lumens, 120V, Dimmable, Round, Brushed Nickel	12	24
SLMPRO6-40K-SL	6" SLIM LED Pro, 17W, 4000°K, 1170 lumens, 120V, Dimmable, Round, Silver	12	24
SLMPRO6-40K-WH	6" SLIM LED Pro, 17W, 4000°K, 1187 lumens, 120V, Dimmable, Round, White	12	24

Ordering Guide

Part #	Description	Case Qty.	Master Qty.
6" Square			
SLMPRO6S-27K-BK	6" SLIM LED Pro, 17W, 2700°K, 1120 lumens, 120V, Dimmable, Square, Black	12	24
SLMPRO6S-27K-BN	6" SLIM LED Pro, 17W, 2700°K, 1120 lumens, 120V, Dimmable, Square, Brushed Nickel	12	24
SLMPRO6S-27K-WH	6" SLIM LED Pro, 17W, 2700°K, 1137 lumens, 120V, Dimmable, Square, White	12	24
SLMPRO6S-30K-BK	6" SLIM LED Pro, 17W, 3000°K, 1142 lumens, 120V, Dimmable, Square, Black	12	24
SLMPRO6S-30K-BN	6" SLIM LED Pro, 17W, 3000°K, 1142 lumens, 120V, Dimmable, Square, Brushed Nickel	12	24
SLMPRO6S-30K-WH	6" SLIM LED Pro, 17W, 3000°K, 1159 lumens, 120V, Dimmable, Square, White	12	24
SLMPRO6S-40K-BK	6" SLIM LED Pro, 17W, 4000°K, 1165 lumens, 120V, Dimmable, Square, Black	12	24
SLMPRO6S-40K-BN	6" SLIM LED Pro, 17W, 4000°K, 1165 lumens, 120V, Dimmable, Square, Brushed Nickel	12	24
SLMPRO6S-40K-WH	6" SLIM LED Pro, 17W, 4000°K, 1182 lumens, 120V, Dimmable, Square, White	12	24
8" Round			
SLMPRO8-27K-BK	8" SLIM LED Pro, 33W, 2700°K, 2585 lumens, 120V, Dimmable, Round, Black	12	24
SLMPRO8-27K-BN	8" SLIM LED Pro, 33W, 2700°K, 2585 lumens, 120V, Dimmable, Round, Brushed Nickel	12	24
SLMPRO8-27K-SL	8" SLIM LED Pro, 33W, 2700°K, 2585 lumens, 120V, Dimmable, Round, Silver	12	24
SLMPRO8-27K-WH	8" SLIM LED Pro, 33W, 2700°K, 2624 lumens, 120V, Dimmable, Round, White	12	24
SLMPRO8-30K-BK	8" SLIM LED Pro, 33W, 3000°K, 2637 lumens, 120V, Dimmable, Round, Black	12	24
SLMPRO8-30K-BN	8" SLIM LED Pro, 33W, 3000°K, 2637 lumens, 120V, Dimmable, Round, Brushed Nickel	12	24
SLMPRO8-30K-SL	8" SLIM LED Pro, 33W, 3000°K, 2637 lumens, 120V, Dimmable, Round, Silver	12	24
SLMPRO8-30K-WH	8" SLIM LED Pro, 33W, 3000°K, 2675 lumens, 120V, Dimmable, Round, White	12	24
SLMPRO8-35K-BK	8" SLIM LED Pro, 33W, 3500°K, 2637 lumens, 120V, Dimmable, Round, Black	12	24
SLMPRO8-35K-BN	8" SLIM LED Pro, 33W, 3500°K, 2637 lumens, 120V, Dimmable, Round, Brushed Nickel	12	24
SLMPRO8-35K-SL	8" SLIM LED Pro, 33W, 3500°K, 2637 lumens, 120V, Dimmable, Round, Silver	12	24
SLMPRO8-35K-WH	8" SLIM LED Pro, 33W, 3500°K, 2675 lumens, 120V, Dimmable, Round, White	12	24
SLMPRO8-40K-BK	8" SLIM LED Pro, 33W, 4000°K, 2688 lumens, 120V, Dimmable, Round, Black	12	24
SLMPRO8-40K-BN	8" SLIM LED Pro, 33W, 4000°K, 2688 lumens, 120V, Dimmable, Round, Brushed Nickel	12	24
SLMPRO8-40K-SL	8" SLIM LED Pro, 33W, 4000°K, 2688 lumens, 120V, Dimmable, Round, Silver	12	24
SLMPRO8-40K-WH	8" SLIM LED Pro, 33W, 4000°K, 2727 lumens, 120V, Dimmable, Round, White	12	24