

LED SPOTLIGHT CANLESS RECESSED MINI PANEL 5 CCT + 3 WATTAGE SELECTABLE 2", 4", 6" - UNIVERSAL VOLTAGE



6"
LR23903
11W | 13W | 15W
1000 | 1250 | 1500 | LUMENS
UNIVERSAL VOLTAGE

4"
LR23902
8W | 10W | 12W
675 | 825 | 1100 | LUMENS
UNIVERSAL VOLTAGE

2"
LR23900
6W | 8W | 10W
500 | 700 | 900 | LUMENS
120V

**CRI
90**

COLOR SELECTABLE

2700K | 3000K | 3500K | 4000K | 5000K

**HIGH
OUTPUT**

**120-
277V**

**DIMMABLE
TRIAC**

**WET
LOCATION
RATED**

**IC
RATED**

**5
YEAR
WARRANTY**

ELECTRICAL

	MODEL	DESCRIPTION	POWER	LUMEN	EFFICACY	INPUT VOLTS	DIMMABLE	LIFETIME
2"	LR23900	LED/MINI2/PANEL/3WO/5CCT/RD/B	6	500	87	120V	TRIAC	50,000
			8	700	88			
			10	900	90			
4"	LR23902	LED/MINI4/PANEL/3WO/5CCT/RD/UNV/B	8	675	84	120-277V	TRIAC	50,000
			10	825	83			
			12	1100	92			
6"	LR23903	LED/MINI6/PANEL/3WO/5CCT/RD/UNV/B	11	1000	91	120-277V	TRIAC	50,000
			13	1250	96			
			15	1500	100			


PHOTOMETRIC

MODEL	DESCRIPTION	COLOR (CCT)	TEMP	FLOOD°	CRI	UL	PLATE (KNOCKOUT)
LR23900	LED/MINI2/PANEL/3WO/5CCT/RD/B	2700K/3000K/3500K/4000K/5000K	CCT SELECT	110°	90	YES	LR41002 (#0) LR41006 (#1) LR41010 (R0)
LR23902	LED/MINI4/PANEL/3WO/5CCT/RD/UNV/B	2700K/3000K/3500K/4000K/5000K	CCT SELECT	110°	90	YES	LR41002 (#1) LR41006 (#3) LR41010 (R1) LR41011 (#4)
LR23903	LED/MINI6/PANEL/3WO/5CCT/RD/UNV/B	2700K/3000K/3500K/4000K/5000K	CCT SELECT	110°	90	YES	LR41002 (#2) LR41006 (#5) LR41010 (R3)

COMPATIBILITY

LR35126 Emergency LED Driver	LR41002 New Construction Mounting Plate	KNOCKOUTS #0 #1 #2 KNOCKOUT SIZE #0 Ø3.14" (Ø80 mm) #1 Ø4.33" (Ø110 mm) #2 Ø6.29" (Ø160 mm)	LR41006 New Construction Mounting Plate	KNOCKOUTS #0 #1 #2 #3 #4 #5 KNOCKOUT SIZE #0 Ø2.12" (Ø54 mm) #1 Ø3.15" (Ø80 mm) #2 Ø3.75" (Ø95 mm) #3 Ø4.25" (Ø108 mm) #4 Ø5.25" (Ø132 mm) #5 Ø6.25" (Ø159 mm)
LR41010 New Construction Mounting Plate	KNOCKOUT SIZE #L0 Ø2.12" (Ø54 mm) #L1 Ø2.83" (Ø72 mm) #L2 Ø3.75" (Ø95 mm)	KNOCKOUTS #0 #1 #2 #3 KNOCKOUT SIZE #R0 Ø3.25" (Ø82 mm) #R1 Ø4.33" (Ø110 mm) #R2 Ø5.25" (Ø132 mm) #R3 Ø6.25" (Ø160 mm)	LR41011 New Construction Mounting Plate	KNOCKOUTS #0 #1 #2 #3 #4 KNOCKOUT SIZE #0 Ø2.48" (Ø63 mm) #1 Ø2.83" (Ø72 mm) #2 Ø3.34" (Ø85 mm) #3 Ø3.74" (Ø95 mm) #4 Ø4.25" (Ø108 mm)

DIMENSIONS



DIMENSIONS

