



Wattstopper
Skylight photocell 0 - 6000 foot candles
Part No. LMPS-6000



The LMPS-6000 is a daylight sensor specifically designed to be used in conjunction with an LMIN-104 Low Voltage Interface Module. The LMPS-6000 photocell head is designed for indoor applications with direct exposure to extremely high light levels as would be present adjacent to the glass in an atrium, skylight, or clearstory.

Features & Benefits

Module and selected photocell read light levels for exterior or interior applications	Works with LMSM segment manager or LMCP panel
Connects to segment network via DLM local network connection	Compatible with LMCP panels and LMSM segment managers
DIN rail clamp allows mounting in LMCP Series panel	Works with a choice of photocells for exterior and skylight locations

Specifications

General Info

Product Line	Wattstopper	Color	White
Finish	Glossy	UPC Number	754182931088
Country Of Origin	United States	Product Series	LMPS
Features	Single Zone	Installation Location	On Wall
Application Sector	Commercial	Warranty Type	5-Year
Type	Sensor		

Dimensions

Product Width US	1.3 in	Product Weight US	2.4 oz
Product Volume US	5.7 cu in	Product Depth US	1.5 in

Product Height US	2.9 in
-------------------	--------

Technical Information

Operating Temperature Min	-40 °F	Compatibility	LMIN-104
Has Battery	No	Control Algorithm	Open Loop
Sensor Type	Daylight	Operating Temperature Max	140 °F
Sensor Technology	Photosensor	Connector Type	Wire Leads
Input Voltage	24 VDC	Indoor/Outdoor	Indoor
Mounting Type	J-Box	Current Draw	5 mA
Operating Temperature	-40°-140°F	Sensing Range	24-6000 fc
Storage Temperature	23° - 140° F		